




ES302D Product Show



two-channel




Single channel

Functions & Features

- 1、 Reasonable and reliable design, low noise, smooth operation and long service life;
- 2、 With function of opening doors automatically under power-off state to meet the need of fire-fighting passage;
- 3、 With functions of anti-tail, anti-reverse pass and so on;
- 4、 Card can be set "with memory" or "without memory" functions;
- 5、 With automatic reset function, i.e. after having access to the gate, the gate automatically restores to the locked state if not pass within the time set;
- 6、 With infrared anti-clip function (anti-clip when gate is open or running);
- 7、 Compatible with IC, ID card, scanning and face recognition,etc.
- 8、 Two modes of operation are available: open or closed.
- 9、 Various working modes are available, including two-way card reading and one-way card reading,etc.

Product



Parameter

Size (L*W*H)	1500*150*980mm
Material	1.2/0.8mm SUS304
Diaphragm material	6mm clear acrylic
Baffle material	10mm clear acrylic
Pass width	600-900mm
Baffle interception height	880mm
Height of baffle from ground	200mm
Movement	Standard quick-pass movement
Power supply	24V 240W
Input voltage	AC100V~240V,50/60HZ
Drive motor	Brushless servo motor60K 40W
Pass rate	Open 50 people/min; Usually closed 35 people/min
Speed of opening and closing	Adjustable from 0.5s to 1.5s
Sensor pairs	4 pairs
Clutch size	80mm outer diameter
Pilot lamp	RGB light strip
Communication mode	RS485
Controls	Servo standard board + electric control box + drive board + network port board box
Noise	≤65dB
Temperature	-20°C~+70°C
Humidity	≤90% No condensation
Class of protection	IP4X
Environment	Indoor and outdoor (outdoor with canopy)

Case share



Turboo Automation Co.,Ltd

**Scan our QR
code to follow**



Official Accounts



Telephone: 86-0755-23305213; 86-0755-29809981;



Head Address : 1st-4th Floor,Building#1,Guanjie Factory area,guanguang Rosd #1134 , Guihua Community,Guanlan Street,Longhua District,Shenzhen ;

Prondution base: Factory Building No.1,Zhongzhi Science and Technology Park ,National High-tech Zone,Fuzhou City,Jiangxi ;